

## Stud Remover Wrenches Roller Type



610486	Wrench stud remover 1/2 sq. drive for bolt size 8-19mm	Pc.
--------	--	-----

## 12 Point & Spud End Wrenches 60° Offset



CODE	Opening	Overall Length
611001-611021	13-60 mm	220mm-575mm

## Striking Wrenches 12 Point Ring




CODE	Opening	Overall Length
611101-611131	30mm-145mm	196mm-553mm

## Striking Wrenches Single Open End



CODE	Opening	Overall Length
611141	30mm-145mm	222mm-606mm

## Single Open End Wrenches 15° Angle



CODE	Opening mm	Overall Length mm
610601-610647	5.5-120	82-870

## 12 Point & Spud End Wrenches 40° Bent




CODE	Opening	Overall Length
610651-610694	10-130mm	165mm-812mm

## Wrenches, Double Head Ratchet 12 Point

CODE	Opening mm	Overall Length mm
611051	10×12	195
611052	10×13	210
611053	10×14	210
611054	12×14	210
611055	13×17	250
611056	14×17	250
611057	17×19	290
611058	17×21	290
611059	19×22	290
611060	19×24	330

CODE	Opening mm	Overall Length mm
611061	21×26	330
611062	21×27	330
611063	22×24	330
611064	22×27	330
611065	24×27	330
611066	24×30	370
611067	26×32	370
611068	27×30	370
611069	30×32	370



## Adjustable Hook Spanner Wrenches

This spanner has the advantage of strength and adjustability. One wrench can be used of bolts of a variety of sizes by simply adjusting the jaw. The handle is strengthened so that the wrench can be used safely with a hammer.



CODE	Circle Diam mm	Overall Length mm
611201	35 — 105	270mm
611202	95 — 165	370mm

## Open and 12 point Box Wrenches

CODE
610761-91



## Scraper Deck



CODE
613246

## Emery Tape Abrasive



CODE
614725-36

## Hook Spanner Wrenches

CODE	Circle Diam mm	CODE	Circle Diam mm
611206	12 to 14	611216	80 to 90
611207	16 to 20	611217	92 to 100
611208	25 to 28	611218	110 to 115
611209	30 to 32	611219	120 to 130
611210	34 to 38	611220	135 to 145
611211	40 to 42	611221	150 to 165
611212	45 to 50	611222	175 to 195
611213	52 to 55	611223	200 to 220
611214	58 to 62	611224	230 to 250
611215	68 to 75	611225	260 to 280



## Torque Wrenches

CODE	Capacity min-max.N.m-cm	Scale N.m-cm	Sq.Drive
611416	0~6	0.1	6.3
611417	1~12	0.2	6.3
611418	3~25	0.5	9.5
611419	5~50	0.5	9.5
611420	10~100	1	12.7
611421	20~200	2	12.7
611422	30~280	5	19.0
611423	40~420	5	19.0

Dial Type



Preset Type

CODE	Capacity min-max.N.m-cm	Scale N.m-cm	Sq.Drive
611426	2~6	0.1	6.3
611427	4~12	0.2	6.3
611428	5~25	0.25	9.5
611429	10~50	0.5	9.5
611430	20~100	1	12.7
611431	40~200	2	12.7
611432	40~280	2	19.0
611433	60~420	2	19.0

## Valve Wheel Wrenches



CODE	Overall Length mm.	For Valve Size mm.
611231	460	UP to 130
611232	560	100~130
611233	660	200~450
611234	915	360 and over

## Hydraulic Wire Rope Cutters

Designed for manually cutting wires with hydraulic power . Gives a clean cut with a few strokes of the handle without requiring any outside power . Can be carried to the job and placed anywhere, no firm base is required . Essential for cutting and splicing wire rope . Be sure to unscrew the die plug before use and to retighten it after use.



## Pipe Wrenches, Straight



CODE	Length mm	For Pipe Size in	CODE	Length mm	For Pipe Size in
611301	150	1/4-5/8	611306	450	1/2-2
611302	200	1/4-3/4	611307	600	1/2-2-1/2
611303	250	1/4-1	611308	900	1/2-4
611304	300	3/8-1-1/4	611309	1200	1-5
611305	350	1/2-1-1/2			


## Adjustable Wrenches



CODE	Length	Maximum Jaw Opening	CODE	Length	Maximum Jaw Opening
611331	100mm	13mm	611335	300mm	34mm
611332	150mm	20mm	611336	375	44mm
611333	200mm	24mm	611337	450	53mm
611334	250mm	29mm	611338	600	62mm

CODE	Maximum Cutter Dia mm
611971	30mm
611972	40mm
611973	50mm

## Hydraulic Cable Plier



Applicable Cable Size	Wire mm <sup>2</sup> (AWG)	Weight grm	
14	10.52-16.87 (6)	2000	
22	16.78-26.66 (4)		
38	26.66-42.42 (2)		
60	42.42-60.57 (1/10)		
611734	Plier,cable,shoe,hydraulic for 10.52-60.57 mm <sup>2</sup> wire size		Pr

## Electrician's Knife

A well tempered cutlery steel blade with a strong joint and a solid wellproportioned handle.



611851	Knife,electrician	Pc.
--------	-------------------	-----

## Heavy Duty Knives with Leather Case

A 120mm,high carbon, cutlery steel blade. Comes with a leather case.



611855	Knife,heavy duty w/leather case	Pc
--------	---------------------------------	----

## Bolt Cutters Straight Edge Bolt Clipper

For cutting mild steel,rods,bolts, wire,etc.Jaws are drop forged of special tools stee;



CODE	Length mm	Maximum Cut Diam	CODE	Length mm	Maximum Cut Diam
611866	1050	18 mm	611877	1050	18 mm

## Cable Cutters

Designed for electric cables,of copper,alumi-nium,etc.



CODE	Length mm	Maximum Cut Diam	CODE	Length mm	Maximum Cut Diam
611904	1050	20 mm	611909	1050	20 mm

## Cable Cutters Insulated Handle

Designed for electric cables,of copper,alumi-nium,etc.



CODE	Length mm	Maximum Cut Diam
611922	1050	50mm

## Rod Cutters

A heavy duty,improved bench type rod and bolt cutter,The handle end is covered by rubber to avoid slipping during use.



CODE	Length mm	Maximum Cut Diam	CODE
611950	766	10mm	611955
611951	1090	13mm	611956
611952	1290	16mm	611957

## Metal Bench Shears

A heavy duty, improved, bench type iron sheet and rod cutter. This unit can be permanently mounted to a bench or bolted to a plank. The cutting lever can be operated with one hand, leaving the other hand free to feed and hold in place the material which is being cut.



CODE	Blade Length mm	Cutting Capacity mm		Size mm L×H
		Iron Sheet	Iron Round	
611962	250	6.0	8	485×335
611963	300	3.2	13	485×335



## Gasket and Washer Cutter

Designed for cutting gaskets or washers from leather, paper, or rubber sheets up to a diameter of 600 mm/24".


612001	Cutter, gasket and washer, set	Set
--------	--------------------------------	-----



## Single Wheel Pipe Cutters



CODE	For Pipe Size in Inches	Overall Length
612020	1/8-1-1/4"	335mm
612021	1/8- 2"	435mm
612022	1/2- 3"	540mm



## Copper & Brass Tube Cutters

CODE	For Tube Size O.D.
612035	3-30mm
612036	5-45mm
612037	6-60mm

## Cutting & Flaring Tool Sets



CODE	Capacity of Cutting & Flaring
612030	mm...5 to 12 with Cutter
612031	inch...3/16 to 5/8 with Cutter

## Packing Hook Set

The flexible shaft has a solid handle and the hook is carefully tempered and pointed.



612004	Packing hook set, complete	Set
--------	----------------------------	-----

## Hexagon Nut Driver Sets

Deep socket type nut drivers provided as a set with a steel holding rack. The set consists of 7 nut drivers ranging from 5mm to 12mm in size.



CODE	Size
612366	Nut driver set, 5 mm-12mm 7pcs

## Gear Chain Hoist



CODE	description
615006	2 Tonnes Gear chain hoist

## Round Hole Punches


Forged from selected tool steel with a fully polished finish.



CODE	Hole Diam mm
613001-613048	3-50

## Punching Tools Sets

Used for punching holes in soft brass, copper, and other soft metals as well as leather, canvas, and gasketing materials.



CODE	Hole Size	Contents
613056	6-38mm	16 pcs Punching dies(6,7,,89,10,11,12,13,16,19,22,25,28,32,35,38)1 pc Punching table.

## Center Punch Sets

Forged, tempered, alloy steel. Center punches of various size available in one compact case..



CODE	CONTENTS
613065	9 pcs set Length 150mm
613066	12 pcs set Length 150mm

## Pin Punch Sets Combination


Forged, tempered alloy steel. Each set is furnished in a round wooden case.



613080	Punch set, pin, combination 2.5-10mm, L150mm, 8pcs/set	Set
--------	--	-----

## Stencil Letter and Figure Sets

Adjustable stencils for letters and figures. Due to a special design, the letters and figures may be joined together to form any word, address, etc. as required. The joined figures and letters are accurately spaced and on an even level to assure a perfect print. The size is taken according to the required height of letters and figures.



## Combination Chisel Sets

Forged, tempered alloy steel. Contains 7 different types of chisel plastic case. Shank in a round diameter 8 mm,



613086	Chisel set, combination 150 mm 7's	Set
--------	------------------------------------	-----

## Chisel & Punch Sets

Forged, tempered alloy steel. Consisting of different chisel and pin punch types in vinyl case.



CODE	CONTENTS
613088	7 pcs set Length 150mm
613089	12 pcs set Length 150mm



CODE	Size mm	Description	Set
613133	25	76 Pieces A to Z and 0 to 9	Letter & Figure
613137	50		
613139	75		
613140	100		
613133A	25	38 Pieces A to Z and 0 to 9	Letter & Figure
613137A	50		
613139A	75		
613140A	100		
613143	25	26 Pieces A to Z only	Letter
613147	50		
613149	75		
613150	100		
613153	25	10 Pieces 0 to 9 only	Figure
613157	50		
613159	75		
613160	100		


## Handy Tools Sets

Basic tool set furnished in a carrying case contains the necessary tools for mechanics to perform daily maintenance activities.



613801	Handy tool set in carrying case contains 14 tools
613802	Handy tool set in carrying case contains 20 tools

## Rotary Hand Pump




614006	Rotary hand pump 3/4 inch	Pc
614007	Rotary hand pump 1 inch	Pc

## Plastic Hand Pump



CODE	Description	Length
614010	Pump,hand ,plastic	540
614011	Pump,hand ,plastic for drum	1200mm

## Portable Hand Winches



CODE	Lifting Capacity kgs	Reeling up length mtr	Applicable Rope Diam mm
<b>Ratchet Geard Type</b>			
614913	500	40	6.3
614914	800	40	8.0
614915	1500	40	9.0

## S.S Couplings

A very useful clamp for connecting pipes easily and quickly without using pipe fittings or doing welding work. Designed for use with casing, rubber sleeve, bolt nut and washers.



Grip Type					
Rubber (EPDM) Sleeve			Rubber (NBR) Sleeve		
CODE	Nominal Size	Pipe OD mm	CODE	Nominal Size	Pipe OD mm
614131	50A	57-61	614141	50A	57-61
614132	65A	74-78	614142	65A	74-78
614133	80A	87-93	614143	80A	87-93
614134	100A	112-118	614144	100A	112-118
614135	125A	137-142	614145	125A	137-142
614136	150A	165-171	614146	150A	165-171

## S.S Clamps

A clamps for the quick repair of pit holes, punctures or splits in steel pipe. Repairs leaks on water, gas, oil, and pressure steam lines up to nominal working pressure 10kgf/cm<sup>2</sup>

Rubber (EPDM) Sleeve			Rubber (NBR) Sleeve		
CODE	Nominal Size	Pipe OD mm	CODE	Nominal Size	Pipe OD mm
614170	50A	57-61	614180	50A	57-61
614171	65A	74-78	614181	65A	74-78
614172	80A	87-93	614182	80A	87-93
614173	100A	112-118	614183	100A	112-118
614174	125A	137-142	614184	125A	137-142
614175	150A	165-171	614185	150A	165-171
614176	200A	211-221	614186	200A	211-221
614177	250A	263-273	614187	250A	263-273
614178	300A	314-324	614188	300A	314-324

## Grinding & Lapping Compound

For Precision lapping, fitting, surfacing, polishing & other use in machine shops. Universally used in 450gr. Supplied in 450gr. tin. Please specify grit number when ordering



614201-17	Grinding & Lapping Compound
-----------	-----------------------------

## Gear & Wheel Pullers

Designed for moving hard to pull gears, bearings or pulleys



### Two Arms Type

CODE	Maximum Spread mm	Maximum Reach mm	Capacity Tons
615050	75	55	2
615051	100	70	4
615052	150	100	6
615053	200	240	8
615054	250	250	10
615055	300	275	12
615057	450	370	18
615058	600	575	24
Pullers type "GL"			
615061	100	150	4
615062	150	190	6
615063	200	275	8
615064	250	300	10
615065	300	350	12
615067	450	440	18

## Drum Hook for 1 Drum

Designed for lifting drum barrels with a hanging drum rib by hooks. Hooks with wire or chain can be made to order if required.



614026	Drum hook,chain,for one drums	Set
--------	-------------------------------	-----

## Drum Hook for 2 Drums


Quadruple chain sling with master link & drum hook for lifting two drum barrels simultaneously.



614025	Drum hook,chain,for 2 drums	Pr.
--------	-----------------------------	-----

## Banding Clamps & Tools

Used in almost all industries. Tensioning tools, band, buckles, performed clamps, hose coupling, mounting brackets, accessories and spare parts offer a universal and economical fastening system. The products will connect, clamp, fasten, secure and fix hose, pipe, cables, signs, boards, etc.



CODE	Description	
614101	Banding Tool	
614103	Banding Band, S.Steel	6.4mmx30Mtrs
614104	Banding Band, S.Steel	9.5mmx30Mtrs
614105	Banding Band, S.Steel	12.7mmx30Mtrs
614106	Banding Band, S.Steel	16.0mmx30Mtrs
614107	Banding Band, S.Steel	19.0mmx30Mtrs
614109	Banding Buckle, S.Steel	6.4mmx100pcs
614110	Banding Buckle, S.Steel	9.5mmx100pcs
614111	Banding Buckle, S.Steel	12.7mmx100pcs
614112	Banding Buckle, S.Steel	16.0mmx100pcs
614113	Banding Buckle, S.Steel	19.0mmx100pcs
614115	Banding Screw Buckle	6.4mmx50pcs
614116	Banding Screw Buckle	9.5mmx50pcs
614117	Banding Screw Buckle	12.7mmx50pcs
614118	Banding Screw Buckle	16.0mmx50pcs
614118	Banding Screw Buckle	19.0mmx50pcs

## Hose Bands

An extremely flexible one piece hose band that gives circumference contact even on irregular surfaces. Made from galvanized steel and stainless steel sealed by gear drive principle.

### Steel

CODE	Size mm	CODE	Size mm	CODE	Size mm
614051	8-14	614055	22-32	614059	68-85
614052	11-17	614056	32-44	614060	77-95
614053	13-20	614057	11-56	614061	87-112
614054	15-24	614058	58-75		

### Stainless Steel

CODE	Size mm	CODE	Size mm	CODE	Size mm
614065	8-14	614069	22-32	614073	68-85
614066	11-17	614070	32-44	614074	77-95
614067	13-20	614071	44-56	614075	87-112
614068	15-24	9614072	58-75		



## Wing Pump Hand Operated

A double blade impeller assures a high pumping rate with great efficiency.



CODE	Pipe Size mm	Capacity per minute ltr
614014	15	14
614015	20	18
614016	25	28
614017	32	36
614018	40	54
614019	50	75

## Gear & Wheel Pullers

3 - arms

Drop forged from vanadium steel.



CODE	Maximum Spread mm	Maximum Reach mm	Capacity Tons
615070	125	140	5
615071	200	200	10
615072	300	270	20
615073	375	290	25
615074	450	320	30

## Bearing Puller Sets



CODE	Components
615081	1 Sliding hammer 5 Grippers, no.00-06 1 Steel case




## Hydraulic Bearing Puller

Design for the removal of frozen bearings.

CODE	615085	615086	615087
Capacity Tons	10	20	50
Maximum Reach mm	210	315	490
Maximum Open mm	250	350	500
Applicable Ram Stroke	150mm 255mm	126mm	153mm 300 mm

## Hydraulic Nut Splitters



615180	Nut splitter hydraulic size up to 1/2" and 7/8"BSW, 2pcs/set	set
--------	--	-----


## Hydraulic Jacks



CODE	615140	615141	615142	615143
Capacity (ton)	30	50	50	50
Stroke (mm)	125	25	50	150
Closed Height(mm)	312	100	220	320
Outer Diam.(mm)	102	127	127	127
Weight(kgs)	16.8	8.6	19	28
Pump Applicable	61 51 57	61 51 56	61 51 57	61 51 59

Fuerza Spain

## Hydraulic Pumps for Hydraulic Jack




CODE	Usable Oil Volume ltr	Max. Work-ing Pressure kgf/cm <sup>2</sup>	
		Low	High
615157	0.7	30	720
615158	0.9	30	720
615159	1.3	30	720
615160	2.3	30	720

Fuerza Spain

## Flange Jacks

The jacks exert tremendous pressure smoothly and evenly. The flanges are quickly and held in perfect alignment without damage to flange faces.

615184	FS-20
615185	FS-30



## Kinetic Rim Guns for Cleaning Clogged pipes and Tubes

Designed for multi-purpose use. By using the hand pump, an air pressure of 10kgf/cm<sup>2</sup> can be built up.

Effective Range

Pipe Diam mm	Effective Range MTR
12.5	100
25	90
50	70
75	45
100	35
125	35
130	30



## Hand Riveters Tools

Contains a plier type hand riveter tool and two different diameter rivets, sized 3.2 mm and 4.0 mm each in two different lengths. Furnished in a steel carrying case



615233	Hand riveter kit in steel case	Set
--------	--------------------------------	-----



## Pneumatic Riveters

Designed to set all standard sizes of blind rivets and works



615251	Pneumatic riveter, rivet diam 2.4-4.8 mm	Set
--------	--	-----

## Non-Spark Square Shovels



Special Aluminum Bronze		
CODE	Blade mm	O'all Length mm
615951	180×225	910

## Non-Spark Fiberglass Square Shovels



615961	Shovel, square, fiberglass, non-spark 290×445mm overall length 1040mm	Pc.
--------	---	-----

## Flaring Tools

CODE	No.	Flare	Tube Diameter O.D.
616773	458	45°	1/8, 3/16, 5/16, 3/8, 1/2, 5/8, 3/4
616775	345	45°	1/2, 5/8, 3/4, 7/8, 1
616776	377	37°	3/16, 1/4, 5/16, 3/8, 1/2, 5/8, 3/4
616777	375	37°	1/2, 5/8, 3/4, 7/8, 1
616778	458mm	45°	4, 4.75, 6, 8, 10, 12, 15, 16mm



## Lever-Type Tube Benders



CODE	No.	Tube Diam O.D.	CODE	No.	Tube Diam O.D.
616780	403	3/16"	616786	406m	6mm
616781	404	1/4"	616787	408m	8mm
616782	405	5/16"	616788	410m	10mm
616783	406	3/8"	616789	412m	12mm
616785	408	1/2"			

## Aluminum Alloy 2-Extension Ladders



Made of two sections from aluminium alloy with round non-slip rungs.

CODE	Length		Safety Load at 75° Lean kgs
	Extended mtrs	Folded mtrs	
617110	4.5	2.8	100
617111	5.1	3.1	150
617112	6.5	3.8	150
617113	7.2	4.1	150
617114	7.8	4.4	150
617115	9.2	5.1	150
617116	10.6	5.8	150

## Aluminum Alloy Straight Ladders

Non-slip round rungs and non-slip rubber guide shoes at the bottom. Has 35 cm stepping space.



CODE	Length mtrs	Safety Load at 75° Lean kgs
617101	2.4	100
617102	3.0	150
617103	4.0	150
617104	5.0	150
617105	6.0	150

## Compact Gas Torches



617016	Complete Set with Burner	Set
--------	--------------------------	-----

## Aluminum Alloy 2-Extension Ladders



CODE	Length		Safety Load at 75° Lean kgs
	Extended mtrs	Folded mtrs	
617120	6.5	3.1	150
617121	8.1	3.8	150
617122	10.6	4.5	150
617123	12.6	5.2	150
617124	14.7	5.8	150

## Aluminum Alloy Folding Ladders



CODE	Length	
	Extended mtrs	Folded mtrs
617136	2.0	0.9
617137	2.7	1.2
617138	3.4	1.5
617139	4.1	1.9
617140	4.8	2.2

## Accessories for Air Operated Grease Pump



IMPA CDOE:617565

CODE	Description	Unit
617412	Grease gun w/flexible pipe & swivel joint	Set

## Grease Lubricators Air Operated



CODE	617501
Pump Ratio	40:1
Feature	Common Type
Max. Output Pressure	230kgf/cm <sup>2</sup>
Max. Outlet Quantity	350grm/min
Max. Air Consumption	130ltr/min
Grease Capacity	16-18kg

## Oil-Bucket Pumps Hand Operated



CODE	617536
Model	STB-60
Pump Output	40 cc/stroke
Container Capacity	20 Ltr.
Height	795 mm

## Aluminum Alloy Step Ladders

A strong framed step ladder for use indoors or outdoors when cleaning, painting, or doing repair work.



CODE	Height mtrs	Nos. of Steps
617126	0.9	3
617127	1.2	4
617128	1.5	5
617129	1.8	6
617130	2.1	7
617131	2.4	8
617132	2.7	9
617133	3.0	10
617134	3.6	12

## High-Pressure Grease Bucket Pumps Hand Operated



CODE	617516
Model	SK-55
Output Pressure	250kgf/cm <sup>2</sup>
Output/Stroke	3.2grm/stroke
Stroke	38-43 mm
Container Capacity	16 Ltr

## Grease Nipple for Hydraulic Fittings



A Straight



B 67.5°



C 90°



Straight



Pin Type



Button Head

CODE	Nominal Size(Thread)	Type
617605	M6×0.5	A Straight
617606	M6×1.0	
617607	PT 1/8	
617608	PT 1/4	
617609	PT 3/8	
6176010	NPT 1/8	
6176011	NPT 1/4	

CODE	Nominal Size(Thread)	Type
617613	PT 1/8	B 67.5°
617614	PT 1/4	
617615	NPT 1/8	
CODE	Nominal Size(Thread)	Type
617616	PT 1/8	C 90°
617617	PT 1/4	

CODE	Nominal Size(Thread)	Type
617621	PF 1/8	Pin Type
617622	PF 1/4	
617623	PF 3/8	
617624	PT 1/8	
617625	PT 1/4	
6176026	PT 3/8	
6176027	PT 1/2	

CODE	Nominal Size(Thread)	Type
617618	6mm	Straight

CODE	Nominal Size(Thread)	Type
617630	PF 1/8×15	Button Head
617631	PF 1/4×15	
617632	PF 1/8×17	
617633	PF 1/4×17	
617634	PF 3/8×17	
617635	PF 1/2×22	
617636	M12×1.5	
617637	PT 1/8×17	
617638	PT 1/4×17	

## Flexible Extension Hose

Used for hand lever grease guns only for hydraulic grease lubrication. All are 4.75mm I.D. one-wire nylon braided, 120 kgf/cm<sup>2</sup> working and 420 kgf/cm<sup>2</sup> burst pressure.



Code	Grease Nipple type	Male Thread
617680	Pin type	PT 1/8
617681	Button Head type	PT 1/8
617682	Hydraulic or straight type	PT 1/8

## Air Powered Grease Lubricators



CODE	617691
Lubrication Pressure	450kgf/cm <sup>2</sup>
Output/stroke	App.1 gm/stroke
Capacity	400 gm with use of the cartridge
Size	380×360×70mm
Weight	2.1kgs

## Lever Type Hand Grease Guns



CODE	Model	Capacity cc	Max. Working Pressure kgf/cm <sup>2</sup>
617702	KH-35	400	250

## Oil Syringes


Provide fast, clean servicing for rapid transfer of any fluid or lubricant. Pulling or pushing the handle intakes or discharges the lubricant.



CODE	Capacity cc	Length mm
617717	540	695

## Heavy Duty Pump Oilers

Heavy duty industrial type angled pump oiler.



CODE	Spout Type	Capacity cc	Wt. grms.
617736	Flexible	175	145
617737	Flexible	350	290

## Oil Jugs

Made of plastic. Characteristic: Complete set with oil nozzle, lock screw. Special cover design forbidden oil splash



CODE	Capacity
617745	1Ltr
617746	2Ltr
617747	3Ltr
617748	4Ltr
617749	5Ltr